

USG
Gypsum
Solutions

**USG LEVELROCK®
AND DUROCK™ BRAND**
DECORATIVE WEAR SYSTEMS

**FEATURING SEAL-KRETE®
HIGH PERFORMANCE COATINGS
BY RUST-OLEUM®**

usg.com | hp.seal-krete.com

USG 
IT'S YOUR WORLD. BUILD IT.®

USG LEVELROCK® AND DUROCK™ BRAND DECORATIVE WEAR SURFACE PRODUCTS


Provides durable concrete looks when stained or polished for industrial, commercial or loft styles.


USG Levelrock® 4500 Floor Underlayment   


USG Levelrock® CSD® Early Exposure™ Floor Underlayment   


USG Durock™ ProFlow™ Self-Leveling Underlayment  

USG Durock™ Quik-Top™ Series Self-Leveling Underlayment    

 **Low Prep Product** Mechanical preparation is not required for most installations. Simply clean, prime and pour.

 **Fiber-Reinforced (FR) Underlayments** Cost-effective reinforcement solutions provide a smooth surface with improved impact resistance, enhanced crack reduction and further propagation reduction, and improved load distribution.

 **Fast Track** Products designed to provide quick return to service.

 **UL Classified** For use in 130+ fire-rated assemblies. All USG 1- and 2-hour rated floor assemblies are designed to meet the International Building Code (IBC) and feature USG Levelrock® and USG Durock™ gypsum-based underlayments and floor patches.

CONTACT

Additional systems are available to address mission critical projects. Contact your USG or Seal-Krete High Performance Representative for more information.

USG

Randy Mullet
rmullet@usg.com
504-343-6501

SEAL-KRETE HIGH PERFORMANCE


Paul Kiminski
pkiminski@rustoleum.com
651-491-8835

USG LEVERLOCK® AND DUROCK™ DECORATIVE WEAR SYSTEMS FEATURING SEAL-KRETE® HIGH PERFORMANCE COATINGS BY RUST-OLEUM®

GOOD

NON UV-CLEAR & TINTED SYSTEM


- Good wear coat
- Residential applications
- Garage floors



BETTER

UV-CLEAR & TINTED SYSTEM


- Easy to use
- No odor
- Commercial applications – office spaces, restaurants, lobbies, store fronts



BEST

UV-CLEAR & TINTED SYSTEM


- Quick return to service
- Durable wear surface
- Commercial and industrial applications – warehouses, airplane hangars, industrial kitchens, manufacturing



ULTIMATE

UV-CLEAR SYSTEM

- Single coat system for all applications
- Extreme scratch/scuff resistance



* Concrete substrates should be tested for moisture prior to the application of a USG Levelrock® or Durock™ Brand Wear Surface Product to determine if a moisture management system is required.

CONTACT INFORMATION

United States Gypsum Company
550 West Adams Street
Chicago, IL 60661

PRODUCT INFORMATION

See usg.com for the most
up-to-date product information.

CUSTOMER SERVICE

800 621-9523

TECHNICAL SERVICE

800 USG.4YOU (874-4968)

WEBSITES

usg.com
hp.seal-krete.com

NOTE

The information in this document is subject to change without notice. USG Corp. and/or its affiliates assume no responsibility for any errors that may inadvertently appear in this document. Consult your USG sales office or representative for information.

NOTICE

We shall not be liable for consequential, incidental or special damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to the replacement of defective goods or a refund of the purchase price, at USG's option, and does not include costs of labor, floor covering materials, or any other costs associated with material replacement. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered. For all applicable warranty information, please refer to *USG Levelrock® Brand & USG Durock® Brand Performance Flooring Products Two-Year Limited Warranty for USG Levelrock Applicators (IG1727)* located at usg.com. For all terms and conditions see usg.com/terms-and-conditions.

SAFETY FIRST!

Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read applicable SDSs and literature before specification and installation.

CB5140-USA-ENG/rev. 5-25

© 2025 USG Corporation and/or its affiliates. All rights reserved.
The trademarks USG, CSD, DUROCK, LEVELROCK, PROFLOW, QUIK-TOP,
IT'S YOUR WORLD. BUILD IT., the USG logo, the design elements and colors, and
related marks are trademarks of USG Corporation or its affiliates.

CLEAR-SHELL, DIAMOND-SHELL, DURA-SHELL WB, EPOXY-SHELL and SEAL-KRETE
are trademarks or registered marks of Rust-oleum.

USG
IT'S YOUR WORLD. BUILD IT.®