


Throw Flat Ceilings a Curve



Billo[™]

3-Dimensional Ceiling Panels



Offices

Lobbies

Conference Rooms

Schools

Retail

Hospitality

Entertainment

BILLO 3-Dimensional Ceiling Panels are luminous and lightweight with graceful curves that can flow up and down to punctuate flat ceiling planes with rhythm and depth. Made of sturdy LEXAN[®], these sleek panels fit into 9/16" narrow-profile and standard 15/16" suspension systems to provide an easy, economical design option for creating eye-catching focal points within a space.



See the Rhythm



The color reproductions shown below are representations only. Please request a color sample by visiting the resource center on our web site www.usg.com

Clear Translucent
94% Light Transmission

Blue Translucent
78% Light Transmission

Glass Green Translucent
77% Light Transmission

White Translucent
26% Light Transmission

White Opaque
0% Light Transmission

Available Colors



Technical Service

800 USG.4YOU

Web Site

usg.com

Samples/Literature E-mail

samplit@usg.com

Samples/Literature/Fax

888 874.2348

Customer Service

800 950.3839

Note

All products described here may not be available in all geographic markets. Consult your local sales office or representative for information.

Trademarks

The following trademarks used herein are owned by USG Interiors or a related company: BILLO, COMPASSO, CENTRICITEE, DONN, DX, DXL, FINELINE, GRIDWARE. AUTOCAD is a registered trademark of Autodesk, Inc. FREON is a registered trademark of E.I. du Pont de Nemours and Company. Joy is a registered trademark of Procter & Gamble Company. LEXAN is a registered trademark of General Electric Company. NEMA is a registered trademark of the National Electrical Manufacturers Association. PALMOLIVE is a registered trademark of Colgate-Palmolive Company. WINDEX is a registered trademark of S.C. Johnson & Son, Inc.

Notice

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

Safety First!

Follow good safety and industrial hygiene practices during handling and installing all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read material safety data sheets and related literature on products before specification and/or installation.

