


CGC

A USG COMPANY

AQUATM
TOUGH
INTERIOR PANEL



AQUA™
TOUGH
INTERIOR PANEL

TOUGH TO THE CORE

FIBEROCK[®] BRAND AQUA-TOUGH[™]
INTERIOR PANELS ARE THE INDUSTRY'S
FIRST ABUSE-RESISTANT PANELS
WITH WATER AND MOULD PROTECTION.
THEY'RE ENGINEERED BY THE COMPANY
THAT HAS BEEN SOLVING YOUR
TOUGHEST BUILDING PROBLEMS
FOR ALMOST 100 YEARS.


THERE'S NOTHING LIKE THEM ON THE PLANET.



A USG COMPANY



ABUSE




AQUA-TOUGH INTERIOR PANELS ARE DEVELOPED WITH A NEW PATENTED TECHNOLOGY FROM CGC. THEY'RE ROCK-SOLID THROUGH AND THROUGH. THAT'S WHY WE SAY THEY'RE TOUGH TO THE CORE.

- ENGINEERED TO PROVIDE INCREASED RESISTANCE TO INDENTATION AND PENETRATION.
- OUTPERFORM PAPER-FACED PANELS. AQUA-TOUGH INTERIOR PANELS HAVE NO PAPER FACE TO TEAR OR SCRATCH.
- SPECIFY THESE PANELS FOR SCHOOL CLASSROOMS, GYMNASIUMS, HOSPITAL CORRIDORS, HOTEL LOBBIES—ANY HIGH-TRAFFIC AREA.



WATER AND MOULD

A man wearing a white lab coat and glasses is holding a large, rolled-up architectural blueprint in front of a blue wall. The blueprint is held up with both hands, and the man's face is partially visible above the top edge of the paper. The entire image is framed by a dark, textured border.

AQUA-TOUGH INTERIOR PANELS ARE IDEAL FOR DEMANDING AREAS WHERE WATER AND MOULD PROTECTION IS REQUIRED.

- **PANELS EXCEED ANSI STANDARD A118.9 FOR TILE SHEAR BOND STRENGTH.**
- **PANELS DEMONSTRATE TOUGH RESISTANCE TO MOULD—SCORE A 10 ON THE ASTM D3273 TEST FOR MOULD RESISTANCE.**
- **SPECIFY FOR LOCKEROOMS, BATHROOMS AND KITCHENS. USE AS A CERAMIC TILE BACKER FOR WET AREAS, EVEN TUB SURROUNDS.**

A red fire extinguisher stands on a light-colored wooden floor in front of a weathered wooden door. The extinguisher has a black hose and a red handle. A label with a barcode is visible on its body. The text "FIRE RESISTANCE" is overlaid in white, bold, sans-serif capital letters across the middle of the image.

FIRE RESISTANCE



AQUA-TOUGH INTERIOR PANELS OFFER SUPERIOR FIRE RESISTANCE.

- **PANELS DEMONSTRATE EXCEPTIONAL SURFACE BURNING CHARACTERISTICS. ULC S-102, ASTM E84, FLAME SPREAD 5, SMOKE DEVELOPED 0 AND FIRE RESISTANCE ULC S-101.**
- **USE 5/8" AQUA-TOUGH INTERIOR PANELS IN PLACE OF TYPE X GYPSUM PANELS IN OVER 50 FIRE-RATED WALL ASSEMBLIES. LISTED IN UL/cUL FIRE-RESISTANCE DIRECTORIES.**



**ENVIRONMENTALLY
FRIENDLY**


A man in a dark jacket and light shirt stands in a forest, looking up at the trees. The background is a dense forest with many thin trees and a ground covered in brown leaves or pine needles. The text is overlaid on the upper left portion of the image.

**TOUGH AND ENVIRONMENTALLY FRIENDLY ARE NOT QUALITIES
YOU'D EXPECT TO FIND TOGETHER IN AN INTERIOR PANEL.
BUT WITH AQUA-TOUGH INTERIOR PANELS, TOUGH AND GREEN
COME IN THE SAME PACKAGE.**

- **MADE FROM 95 PERCENT RECYCLED MATERIALS.**
- **AWARDED A GREEN CROSS FROM SCIENTIFIC
CERTIFICATION SYSTEMS, AN INDEPENDENT
THIRD-PARTY TESTING ORGANIZATION.**
- **PROVIDE AN ENVIRONMENTALLY FRIENDLY
OPTION, WITHOUT SACRIFICING ABUSE RESISTANCE,
MOULD RESISTANCE OR WATER RESISTANCE.**
- **SPECIFY ANYWHERE YOU WANT TO BUILD
SUSTAINABLE CONSTRUCTION.**


A still life photograph featuring a white plastic bucket lid as a base. On the lid are three tools: a paintbrush with a wooden handle and a metal ferrule, a long-handled putty knife with a wooden handle, and a smaller, flat-edged tool, possibly a scraper or a different type of putty knife, also with a wooden handle. The tools are arranged in a slightly overlapping manner. The background is a dark, textured surface, possibly a wall or floor, with a wooden border visible at the top and bottom edges of the frame. The word "FINISHING" is printed in white, bold, sans-serif capital letters across the center of the image, partially overlapping the tools and the bucket lid.

FINISHING



**HOW CAN ANYTHING THIS TOUGH LOOK SO BEAUTIFUL?
AQUA-TOUGH INTERIOR PANELS OFFER ALL THE AESTHETIC
BENEFITS OF DRYWALL. PLUS, THEY CAN BE FINISHED WITH
CERAMIC TILE WITH NO EXTRA STEPS, MAKING THEM AN
EXCELLENT CHOICE FOR EVERY WALL.**

- **PROVIDE A SMOOTH, FLAT AND PAINTABLE SURFACE
FOR BEAUTIFUL FINISHED WALLS.**
- **MAKE SPECIFYING EASIER WITH JUST ONE PRODUCT
FOR ALL DRYWALL AND TILE BACKER NEEDS.**
- **STREAMLINE INSTALLATION WITH LESS CUTTING,
FEWER JOINTS AND NO TRANSITIONS BETWEEN
DIFFERENT SUBSTRATE TYPES.**





ABUSE RESISTANT, WATER RESISTANT,
MOULD RESISTANT AND FIRE RESISTANT.

IN OTHER WORDS
KID RESISTANT.

INTRODUCING FIBEROCK® BRAND AQUA-TOUGH™ INTERIOR PANELS.
FROM CGC. TOUGH ENOUGH FOR SCHOOLS, HOSPITALS, HOTELS,
AND OFFICES. SPECIFY THEM ANYWHERE YOU NEED PROTECTION
AND STILL WANT TO LOOK GOOD. FIND OUT WHY THEY'RE TOUGH
TO THE CORE. VISIT WWW.CGCINC.COM



TOUGH TO THE CORE™



TOUGH TO THE CORE™

Trademarks

The CGC and Aqua-Tough logos are trademarks of CGC Inc. CGC Inc. is a licensed user of the trademark FIBEROCK.

Note

Products described here may not be available in all geographic markets. Consult your CGC sales office or representative for information.

Notice

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

SAFETY FIRST!

Follow good safety and industrial hygiene practices during handling and installation of all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read material safety data sheets and related literature on products before specification and/or installation.



A USG COMPANY

CGC Inc.
350 Burnhamthorpe Rd. W., 5th Floor
Mississauga, ON L5B 3J1
www.cgcinc.com

EWB_W117/10-03
© 2003, CGC Inc. CP
Printed in Canada.



Printed on recycled paper