

# USG BEN FRANKLIN™ BRAND AGRICULTURAL GYPSUM — REGULAR GRIND DETROIT, MI

## DESCRIPTION

- USG Ben Franklin™ Brand Agricultural Gypsum - Regular Grind is manufactured from high purity natural gypsum rock resulting in a product that is uniformly high in analysis and solubility.
- It is an ideal gypsum-based calcium and sulfur fertilizer for general agricultural use including mushroom and vegetable farming.
- Does not appreciably alter soil pH and helps to "soften" the soil by helping to open the pore spaces in soil that may be compacted due to mechanical compaction or high salt content.
- Certified as organic by the Organic Materials Review Institute (OMRI®).

## GUARANTEED ANALYSIS

Calcium Sulfate Dihydrate Equivalent (Gypsum, CaSO <sub>4</sub> • 2H <sub>2</sub> O)	81%
Calcium Sulfate Equivalent (CaSO <sub>4</sub> )	64%
Calcium (Ca)	21%
Sulfur (S)	15%
pH	7.5

## APPROXIMATE SIZING

### PRODUCT INFORMATION

See usg.com for the most up-to-date product information.

### DANGER

May cause cancer by inhalation of respirable crystalline silica. Do not handle until all safety precautions have been read and understood. Use only in a well-ventilated area, wear a NIOSH/MSHA-approved respirator. Wear protective gloves/protective clothing/eye protection. If swallowed, inhaled, or skin irritation occurs immediately get medical attention. Dust may cause irritation to eyes, skin, nose, throat and upper respiratory tract. If on skin: Wash with plenty of water. Dispose of in accordance with local, state, and federal regulations. For more information call Product Safety: 800-507-8899 or see the SDS at usg.com  
**KEEP OUT OF REACH OF CHILDREN.**

### TRADEMARKS

The trademarks USG, BEN FRANKLIN, IT'S YOUR WORLD. BUILD IT., the USG logo, the design elements and colors and related marks are trademarks of USG Corporation or its affiliates.

OMRI LISTED is a registered trademark of OMRI.

### NOTE

The information in this document is subject to change without notice. USG Corp. and/or its affiliates assume no responsibility for any errors that may inadvertently appear in this document. Consult your USG sales office or representative for information.

### NOTICE

We shall not be liable for consequential, incidental or special damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to the replacement of defective goods or a refund of the purchase price, at USG's option, and does not include costs of labor or any other costs associated with material replacement. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

For all terms and conditions see usg.com/terms-and-conditions.

### SAFETY FIRST!

Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read applicable SDSs and literature before specification and installation.

% Passing — 4 Mesh	100.00%
% Passing — 8 Mesh	100.00%
% Passing — 16 Mesh	100.00%
% Passing — 50 Mesh	99.59%
% Passing — 100 Mesh	97.89%
% Passing — 200 Mesh	84.05%
% Passing — 325 Mesh	64.28%

## BULK DENSITY

63 lbs. per cubic foot (loose) / approx. 76 lbs. per cubic foot (packed)



800 USG.4YOU  
800 (874.4968)  
usg.com

Manufactured by  
United States Gypsum Company  
550 West Adams Street  
Chicago, IL 60661

IG1941-USA-ENG/rev. 4-25  
© 2025 USG Corporation and/or  
its affiliates. All rights reserved.  
Printed in U.S.A.