USG Ceiling Solutions

USG CEILING SOLUTIONS COLOR PROGRAM

STANDARD COLORS STANDARD COLORS FOR **CEILING PANELS AND** SUSPENSION SYSTEMS^{1,4} Flat White Flat Black Reserve White Parchment Manila Straw Sandstone Taupe Charcoal (050) (103) (246) (143) (090) (107) (534)6 (205) (4250) **ADVANTAGE COLORS** ADVANTAGE COLORS FOR **CEILING PANELS AND SUSPENSION SYSTEMS^{1, 4}** ∆*z*ure Breeze Blue Grey Slate Spruce Tuscany Sorbet Squash Safari (2659) (564) (2660)(568) (567) (2663) (2658)(2661)(2662) Sienna Nectar Quartz Silvertone Mist Redwood Halo Beige (566) (565) (206)(546) (082) (142)5 (052) (053) **PREMIUM COLORS** Dawn Old Stone Sea Shell Light Brown Nut Brown Peat Shale Ocean Ridge Atmosphere (3679) (3682) (3691) (3678) (3690) (3680) (3683) (3684) (3681) Flat Black Laguna Grass Tangy Taleia Deep Cranberry Deep Violet Deep Berry Deep Blue (3685) (3686) (3688)(3689) (3687) (3693) (3692) (205) **STANDARD COLORS ADVANTAGE COLORS POWDER COATED FINISH** SUSPENSION SYSTEMS ONLY Silver Satin Powder White Plated Brass Plated Chrome Bronze Galvanized Low (002) (065)² (066)² (033) Gloss Clear (3767) (3287)3 CUSTOM COLOR Note Please consult your USG/CGC sales representative for custom colors. USG will match MATCHING colors from most major paint manufacturers. Plant to review all colors not listed in color programs for manufacturing capability. Notes

- Samples shown are representative of colors for tile and grid only. Color may vary on specialty products.
- Brass and Chrome available in USG Donn[®] Brand DX^{*}/ USG Donn[®] Brand DXL[™] Acoustical Suspension System only. All Brass and Chrome items are service level C. Brass and Chrome cross tees available only in DXD[™]-type butt-cut ends. Shadow moldings are not available in Brass and Chrome. 3. Galvanized Low Gloss Clear is available in USG Donn* Brand DX* / USG Donn* Brand DXL™ Acoustical Suspension System only. Galvanized steel with a
- low gloss clear finish coat can vary significantly from lot to lot. This is due to the inherent differences in the hot-dipped galvanization coating process. 4. Grid colors applied to the visible cap only. For 360° painting, consult the Specialty Ceiling System price list. Moldings are painted on the
- exposed horizontal leg.
- Beige is a Standard color for CGC Donn[®] Brand Suspension Systems.
- Manila and Charcoal are Advantage not Standard colors for CGC Donn[®] Brand Suspension Systems.
 To highlight the unique texture of USG Sandrift[™] Acoustical Panels, choose light colors.



USG COLOR PROGRAM FOR ACOUSTICAL PANELS

ORDER SAMPLES/LITERATURE USG: samplit@usg.com CGC: contact Sales Representative TECHNICAL SERVICES 800 USG.4YOU (874-4968) TECHNICAL SERVICES 800 USG.4YOU (874-4968)

AVAILABLE PANELS	ltem No.	Size	Edge	Standard Colors ⁸		Advantage Colors ⁸		Premium Colors ⁸		Sq. Ft./ Carton	Color Options
				Min. Sq. Ft.	Lead Time Days	Min. Sq. Ft.	Lead Time Days	Min. Sq. Ft.	Lead Time Days		
CLIMAPLUS™ ····	76975	2'x2'x3/4"	FL	48	10	48	10	-	-	48	Standard colors (Flat Black and Charcoal not available.) Advantage: Beige, Mist, Silvertone only.
	76775	2'x2'x3/4"	SLT	48	10	48	10	—	—	48	
USG FROST™	414	2'x2'x3/4"	SLB	32	5	2,688	15	2,688	15	32	Standard, Advantage and Premium colors. Colors outside the Standard, Advantage and Premium programs are subject to approval by plants.
(SC1968)	418	2'x2'x3/4"	FL	32	10	2,688	15	2,688	15	32	
	419	2'x2'x3/4"	FLB	32	10	2.688	15	2,688	15	32	
USG GLACIER™ BASIC (SC1819)	707	2'x2'x3/4"	SL	32	5	2,688	15	2,688	15	32	Standard, Advantage and Premium colors. Colors outside the Standard, Advantage and Premium programs are subject to approval by plants.
	708	2'x2'x3/4"	FL	32	10	2,688	15	2,688	15	32	
USG MARS™	88137	2'x2'x1"	SQ	32	30-45	32	30-45	32	30-45	32	Premium colors offered. Standard and Advantage colors are all considered "Custom" for pricing.
HIGH-NRC/HIGH-CAC (SC2487)	88138	2'x2'x1"	SLT	32	30-45	32	30-45	32	30-45	32	
(,	88139	2'x2'x1"	FLB	32	30-45	32	30-45	32	30-45	32	
	88134	2'x2'x7/8"	SQ	40	30-45	40	30-45	40	30-45	40	
	88135	2'x2'x7/8"	SLT	40	30-45	40	30-45	40	30-45	40	
	88136	2'x2'x7/8"	FLB	40	30-45	40	30-45	40	30-45	40	
	86186	2'x2'x3/4"	SQ	48	30-45	48	30-45	48	30-45	48	
	86786	2'x2'x3/4"	SLT	48	30-45	48	30-45	48	30-45	48	
	86986	2'x2'x3/4"	FLB	48	30-45	48	30-45	48	30-45	48	
USG PREMIER	7054G	2'x2'x5/8"	SQ	128	20	-	_	-	-	128	White and Flat Black only.
HI-LITE™ KAPOK (SC1838)	7055G	2'x4'x5/8"	SQ	128	20	-	-	_	_	128	
	7056G	2'x2'x5/8"	SQ	128	20	—	-	_	_	128	
	7057G	2'x4'x5/8"	SQ	128	20	—	—	—	—	128	
USG RADAR™ (SC2127)	2210	2'x2'x5/8"	SQ	64	10	64	10	-	-	64	Standard colors. Advantage: Beige, Mist, Silvertone only.
	2220	2'x2'x5/8"	SLT	64	10	64	10	-	-	64	Standard colors (Flat Black and Charcoal not available.) Advantage: Beige, Mist, Silvertone only.
	2410	2'x4'x5/8"	SQ	64	10	64	10	-	-	64	Standard colors. Advantage: Beige, Mist, Silvertone only.
USG RADAR™ ILLUSION™ TWO/24 (SC2126)	2842	2'x4'x3/4"	SLT	48	10	48	10	-	_	48	Standard colors (Flat Black and Charcoal not available.) Advantage: Beige, Mist, Silvertone only.
USG RENDITIONS™ ANIMATIONS ([C327), USG RENDITIONS™ BOUNDARIES (IC332) AND USG RENDITIONS™ CUSTOM FROST™ PANEL (CLIMAPLUS™ NOT AVAILABLE) ([C356)	Various	2'x2'x3/4"	SLB,	32	15	2,688	20	2,688	20	32	White, Standard, Advantage and Premium colors. (Advantage are 2,688 min. sq. ft.) Note Custom colors are 25-day minimum lead time for USG Frost™.
USG SANDRIFT™	808 ⁷	2'x2'x3/4"	SL	32	5	2,688	15	2,688	15	32	Standard, Advantage and Premium colors.
(SC1841)	8097	2'x2'x3/4"	FL	32	10	2,688	15	2,688	15	32	Colors outside the Standard, Advantage and Premium programs are subject to approval by plants.

USG COLOR PROGRAM FOR SUSPENSION SYSTEMS

STANDARD, ADVANTAGE, PREMIUM COLORS	 All standard products seen below are available within 15 days unless otherwise noted: AX[™] DXT[™]/DXLT[™] DX[®]/DXL[™] DXLA[™] DXF[™]/DXLF[™] DXF[™]/DXLF[™] DXFF[™] 							
		os only. cialty Ceiling System price list. ed horizontal leg. White, USG service level C and CGC service level B. XF1200N also offered in Flat White with Black Reveal,						
CUSTOM COLORS	 Suspension systems and panels are also available in colors not listed in Standard, Advantage and Premium offerings. A 3"x5" color chip is needed for matching. Lead time for custom colors will be 15 days unless otherwise notified Minimum order quantities may apply. 							
POWDER-COATED FINISHES	 Suspension systems and panels are also available in colors not listed in Standard, Advantage and Premium offerings. Colors other than Standard, Advantage and Premium offerings are subject to approval. A 3"x5" color chip is needed for matching. Suspension systems not included in the Standard, Advantage and Premium color program are available as custom colors. Lead time will be quoted via the Request-To-Quote (RTQ) and will start after acceptance of color match. Minimum order quantities may apply. 							
POWDER-COATED FINISHES	 Standard QS Items in Powder White 3767 available in 15 days Standard, Advantage, and Premium colors available Contact customer service for lead times on specific orders Minimum quantities may apply. 							
SUSPENSION SYSTEM	Level	Lead time from order acceptance						
SERVICE LEVELS	Quick Ship	1-2 days						
	A	5-7 days 15 days						
	B							
с		30 days						
	Advantage and Premium Colors	Typically 5 weeks from order.						

Manufactured by USG Interiors, LLC 550 West Adams Street Chicago, IL 60661

Notice

Notice The information in this document is subject to change without notice. CGC Inc. or USG Corp. assumes no responsibility for any errors that may inadvertently appear in this document.

SC1859/rev. 01-24

© 2024 USG Corporation and/or its affiliates. All rights reserved. Printed in USA

The trademarks USG, CGC, AX, AXCE, CE, CENTRICITEE, CLIMAPLUS, DONN, DX, DXACE, DXD, DXF, DXFF, DXI, Safety First! Follow good safety/industrial hygiene DXL, DXLA, DXLF, DXLT, DXSS, DXT, DXW, ECLIPSE, FINELINE, FROST, GLACIER, IDENTITEE, LOGIX, MARS, PREMIER HI-LITE, RADAR, RENDITIONS, SANDRIFT, ZXLA, IT'S YOUR WORLD. BUILD IT., the USG/CGC logo, the design elements and colors, and related marks are trademarks of USG Corporation or its affiliates.

practices during installation. Wear appropriate personal protective equipment. Read SDS and literature before specification and installation.

