# **Durock™ Brand Advanced Skim Coat™ Floor Patch** by USG

# **Health Product** Declaration v2.2

created via: HPDC Online Builder

CLASSIFICATION: 09 24 00 Cement Plastering

PRODUCT DESCRIPTION: Durock™ Brand Advanced Skim Coat™ Floor Patch is a versatile calcium aluminate floor patch and skim coat for interior use over wood, concrete and gypsum subfloors and over most interior floors, including ceramic and quarry tile, terrazzo, wood, metal and interior concrete, as well as properly prepared residues of cutback and other non-water-soluble adhesives on concrete and epoxy coatings.

# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

## **Threshold Disclosed Per**

- Material
- Product

## Threshold level

- C 100 ppm
- € 1,000 ppm
- C Per GHS SDS
- Other

#### Residuals/Impurities

- Considered
- C Partially Considered
- O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

**Screened** 

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

## **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

DUROCK™ BRAND ADVANCED SKIM COAT™ FLOOR PATCH [ HIGH-ALUMINA CEMENT LT-UNK LIMESTONE LT-UNK CALCIUM SULFATE DIHYDRATE LT-UNK PORTLAND CEMENT LT-P1 | END | CAN PERLITE LT-UNK UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ATTAPULGITE, ACTIVATED LT-1 CAN LITHIUM CARBONATE LT-1 | DEV | REP UNDISCLOSED LT-UNK Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2020-11-11 **PUBLISHED DATE: 2020-12-01** EXPIRY DATE: 2023-11-11



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### DUROCK™ BRAND ADVANCED SKIM COAT™ FLOOR PATCH

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LTP1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. Naturally occurring raw materials in this product may contain trace amounts of respirable crystalline silica. The accumulative percentage of respirable crystalline silica is expected to exceed the threshold of 1000 ppm. See the SDS on usg.com for occupational exposure information.

OTHER PRODUCT NOTES: This product is manufactured at Southard, OK.

HIGH-ALUMINA CEMENT ID: 65997-16-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-11

%: 25.0000 - 35.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen®

score of

BM-1, LT-1, LT-P1 or NoGS

LIMESTONE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-11

%: 15,0000 - 25,0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

CALCIUM SULFATE DIHYDRATE ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-11

%: 10.0000 - 25.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

PORTLAND CEMENT ID: 65997-15-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-11			
%: 5.0000 - 15.0000	GS: LT-P1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	W	VARNIN	IGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effect but not sufficient for classification			· ·

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

PERLITE ID: 93763-70-3

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

# UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-11			
%: 3.0000 - 7.0000	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE ROLE: Impact modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 4.0).

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-11-11			
%: <b>0.1000 - 0.5000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Humectant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS		
None found No warnings found on HPD Priority Hazard Lis					

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 4.0).

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-11-11			
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS		
None found			No warnings fo	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 4.0).

ATTAPULGITE, ACTIVATED ID: 12174-11-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-11		
%: 0.1000 - 1.0000	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NGS	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic man		

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. The final product as installed is not in an inhalable form and not expected to increase the risk of cancer. The fibrous attapulgite raw material that USG uses in its products comes from the Meigs-Attapulgus-Quincy District (Georgia–Florida), a clay-rich region where the mineral content of the deposits consists almost entirely of attapulgite with minor quantities of impurities. In the finished form when applied according to USG specifications no exposure to attapulgite is expected for the building occupants.

LITHIUM CARBONATE ID: 554-13-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-11			
%: 0.1000 - 0.5000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS		
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity			
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants			
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]			

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

# UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-11-11
%: 0.1000 - 0.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 4.0).



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **UL/GreenGuard Gold Certified**

ISSUE DATE: 2017-12- EXPIRY DATE: **CERTIFYING PARTY: Third Party** APPLICABLE FACILITIES: AII 18

CERTIFIER OR LAB: UL

Environment

CERTIFICATE URL: https://spot.ul.com

CERTIFICATION AND COMPLIANCE NOTES: Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2. Maximum allowable predicted TVOC concentrations for GREENGUARD Gold (0.22 mg/m³) fall in the range of 0.5 mg/m³ or less, as specified in CDPH Standard Method v1.2.



# 🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

Ingredient specific notes are included in Section 2.

#### MANUFACTURER INFORMATION

MANUFACTURER: USG
ADDRESS: 550 W Adams St
Chicago IL 60661, United States

WEBSITE: usg.com

CONTACT NAME: Stacy Simpson
TITLE: Sustainability Manager
PHONE: 1-800-USG4YOU
EMAIL: sustainability@usg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

## **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

## **Recycled Types**

**PreC** Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.