

# USG MICORE® 300

## MINERAL FIBER BOARD

### Versatile, high-performance core or substrate

- Easier to handle and superior performance than particle board
- Outstanding versatility adapts to a variety of applications
- Smooth, coated finish maintains tighter tolerance
- Exceptional tackability
- Good sound control
- Class A surface burning characteristics per ASTM E84
- GreenGuard Gold Certification; qualifies as a low VOC emitting material (meets CA 01350)

### DESCRIPTION

USG Micore® 300 Mineral Fiber Board is a superior substrate for fabric and vinyl-covered panels in a variety of applications. It offers outstanding resilience, great machinability and high density while remaining lightweight. USG Micore 300 also provides great acoustical performance to help reduce noise in open plan interiors and the inorganic mineral fibers resist moisture to minimize expansion and warping.

### INTENDED FOR

- Use in a variety of applications including tackboards, wall panels, office dividers and baffles
- Laminate with a variety of finish materials

### PRODUCT DATA

#### THICKNESS AND WEIGHT<sup>1</sup>

THICKNESS <sup>2</sup>	STANDARD SIZES <sup>1,3</sup>	WEIGHT
3/8" (0.375)	4' x 8'	0.63 – 0.81 psf
7/16" (0.438)	4' x 8'	0.73 – 0.95 psf
1/2" (0.500)	4' x 8', 4' x 10' and 4' x 12'	0.83 – 1.08 psf
5/8" (0.625)	Custom sizes only	1.04 – 1.35 psf
3/4" (0.750)	4' x 8'	1.25 – 1.63 psf

1. Custom sizes available. Minimum order quantities apply.

2. Thickness tolerance ± 0.015"

3. Width and length tolerance ± 1/16"

### PHYSICAL PROPERTIES

<b>Surface burning characteristics</b>	Flame Spread <sup>1</sup>	25
	Smoke developed <sup>1</sup>	10
<b>Density</b>	23±3 pcf	
<b>Modulus of rupture<sup>2</sup></b>	350 psi	
<b>Modulus of elasticity<sup>2</sup></b>	25,000 psi	
<b>Tensile strength (parallel to surface)<sup>2</sup></b>	170 psi	
<b>Hardness (Janka Ball)<sup>2</sup></b>	55 lbs.	
<b>Hygrometric expansion (50% to 70% R.H.)</b>	0.1%	
<b>R-Value (1/2")<sup>2</sup></b>	1.08	
<b>K factor (1/2")<sup>2</sup></b>	0.48	

1. Per ASTM E84.

2. Values shown are production averages.

**ACOUSTICAL PERFORMANCE<sup>1</sup>**

THICKNESS	STC RATING	NRC (MIN.)
3/8"	24	—
7/16"	24	0.25
1/2"	25	0.30
5/8"	26	0.30
3/4"	28	0.30

1. Based on perforated product only. Published STC and NRC values are based on laboratory tests. Actual field acoustical performance may differ depending on acoustical performance of all other products and systems used with USG Micore 300 Mineral Fiber Board as installed.

**NOTES/LIMITATIONS****PRODUCT INFORMATION**

See usg.com for the most up-to-date product information.

**GREENGUARD INFORMATION**

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit [ul.com/gg](http://ul.com/gg).

**LEED INFORMATION**

For the most up-to-date information on LEED rating systems, project certification and the U.S. Green Building Council, please visit [usgbc.org](http://usgbc.org).

**DANGER**

May cause cancer or damage to lungs from presence of respirable crystalline silica through prolonged or repeated exposure by inhalation. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Use only in a well-ventilated area, wear a NIOSH/MSHA-approved respirator. Cut and trim with a utility knife or hand saw to minimize dust levels. If a router is used, it must have a dust collection system. Wear protective gloves/protective clothing/eye protection. If exposed or concerned: Get medical attention. If eye contact occurs, flush thoroughly with water for 15 minutes. Remove contact lenses and continue rinsing. Dispose of in accordance with local, state, and federal regulations. For more information, call Product Safety: 1-800-507-8899 or see the SDS at [usg.com](http://usg.com).

**KEEP OUT OF REACH OF CHILDREN.**

**TRADEMARKS**

The trademarks USG, MICORE, IT'S YOUR WORLD. BUILD IT., the USG logo, the design elements and colors and related marks are trademarks of USG Corporation or its affiliates.

LEED is a registered trademark of U.S. Green Building Council.

**NOTE**

The information in this document is subject to change without notice. USG Corp. and/or its affiliates assume no responsibility for any errors that may inadvertently appear in this document. Consult your USG sales office or representative for information.

**NOTICE**

We shall not be liable for consequential, incidental or special damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to the replacement of defective goods or a refund of the purchase price, at USG's option, and does not include costs of labor, floor-covering materials, or any other costs associated with material replacement. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

**SAFETY FIRST!**

Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read applicable SDSs and literature before specification and installation.



1. Avoid exposure to excessive or continuous moisture. Installation and occupancy conditions should not exceed 85 °F/70% RH.
2. Not intended to be painted. Painting will impair the acoustical and fire performance and will void all manufacturer warranties.
3. Not intended for use with ceramic tile.
4. Do not stack higher than 3 pallets high.

**STORAGE AND HANDLING**

Store USG Micore 300 Mineral Fiber Board in an enclosed shelter providing protection from damage and exposure to the elements. Do not stack higher than 3 pallets high. Shelf life is indefinite as long as material is protected against moisture and UV/sunlight.

800 USG.4YOU  
800 (874.4968)  
[usg.com](http://usg.com)

Manufactured by  
United States Gypsum Company  
550 West Adams Street  
Chicago, IL 60661

IG307486-USG-ENG/9-22  
© 2022 USG Corporation and/or  
its affiliates. All rights reserved.  
Printed in U.S.A.

**USG**  
IT'S YOUR WORLD. BUILD IT.®