Sheetrock® Brand Mold Tough® VHI Firecode® X Panels by United States Gypsum Company

CLASSIFICATION: 09 20 00

Declaration v2.0 created via: HPDC Online

Builder

Health Product

PRODUCT DESCRIPTION: USG SHEETROCK® BRAND MOLD TOUGH® VHI FIRECODE® X PANELS HAVE A NONCOMBUSTIBLE, MOISTURE RESISTANT CORE ENCASED IN MOISTURE- AND MOLD-RESISTANT, 100 PERCENT RECYCLED GREEN-FACE AND BROWN-BACK PAPERS. THE FACE PAPER IS FOLDED AROUND THE LONG EDGES TO REINFORCE AND PROTECT THE CORE, AND THE ENDS ARE CUT SQUARE AND FINISHED SMOOTH. THROUGH A PROPRIETARY PROCESS, A FIBERGLASS REINFORCING MESH IS IMBEDDED IN THE CORE ADJACENT TO THE BACK PAPER. THIS MESH STRENGTHENS THE PANELS AND INCREASES RESISTANCE AGAINST IMPACT DAMAGE. THE LONG EDGES OF PANELS ARE TAPERED, ALLOWING JOINTS TO BE REINFORCED AND CONCEALED WITH A USG JOINT TREATMENT SYSTEM.

CONTENT

Section 1: Summary

INVENTORY		Based on the selected Content Inventory Threshold:				
	Residuals and					
Threshold per	impurities	Characterized	•	0		
material	considered in	Are the Percent Weight and Role provided for all substances?	Yes	No		
O 100 ppm	0 of 1 materials	Screened	•	0		
• 1,000 ppm • Per GHS SDS	see Section 2:Material Notes	Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No		
Per OSHA MSDS Other	See Section 5:	Identified	•	0		
Other General No	General Notes	Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No		

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SHEETROCK® BRAND MOLD TOUGH® VHI FIRECODE® X PANELS [GYPSUM UNK CELLULOSE UNK FIBERGLASS UNK FLY ASH UNK PROPRIETARY UNK POLY (METHYLHYDROSILOXANE) UNK STARCH UNK SODIUM PYRITHIONE UNK | MUL | DEV CALCIUM SALT OF POLYNAPHTHALENESULFONIC ACID UNK PERICLASE (MGO) UNK]

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

VOC emissions: GREENGUARD Certification - Sheetrock® Brand Mold Tough® VHI Firecode® X Panels

See Section 3 for additional listings.

Self-Published* VERIFIER:Third Party Verified VERIFICATION #:

SCREENING DATE: August 15, 2016 RELEASE DATE: August 15, 2016

EXPIRY DATE*: August 15, 2019

* or within 3 months of significant change in product contents



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

SHEETROCK® BRAND MOLD TOUGH® VHI FIRECODE® X %: 100.0000 HPD URL: **PANELS** Inventory Threshold: 1000 ppm Residuals Considered: No Material Notes: Raw materials in this product may contain trace amounts of respirable crystalline silica. Testing has shown exposures to respirable crystalline silica are not expected to exceed the OSHA Permissible Exposure Level (PEL) during the normal use of this product. See the SDS on usg.com for occupational exposure information. **GYPSUM** ID: 13397-24-5 %: 85.0000 - 93.0000 GS: UNK RC: PreC NANO: NO ROLE: Core **HAZARDS:** AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: NA **CELLULOSE** ID: 9004-34-6 GS: UNK RC: PostC %: 5.0000 - 10.0000 NANO: NO **ROLE: Paper face HAZARDS: AGENCY(IES) WITH WARNINGS:** None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: NA **FIBERGLASS** ID: 65997-17-3 %: 0.3000 - 0.8000 GS: UNK RC: None NANO: NO ROLE: Reinforcing **HAZARDS:** AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: NA **FLY ASH** ID: 68131-74-8 %: 0.3000 - 0.8000 GS: UNK RC: None NANO: NO ROLE: Catalyst

HAZARDS:		AGE	NCY(IES) WITH WARNING	GS:	
None Found		No w	arnings found on HPD Pric	ority lists	
SUBSTANCE NOTES: N	NA				
PROPRIETARY			ID: Und	isclosed	
%: 0.2000 - 0.4000	GS: UNK	RC: None	NANO: NO	ROLE: Core strengthener	
HAZARDS:		AGE	NCY(IES) WITH WARNING	GS:	
None Found		No w	arnings found on HPD Pric	ority lists	
SUBSTANCE NOTES: I	SUBSTANCE NOTES: Highest concern GreenScreen® score- LT-U				
POLY (METHYLHYDRO	OSILOXANE)		ID: 6314	48-57-2	
%: 0.2000 - 0.4000	GS: UNK	RC: None	NANO: NO	ROLE: Water repellant	
HAZARDS:		AGE	NCY(IES) WITH WARNING	GS:	
None Found		No w	arnings found on HPD Pric	ority lists	
SUBSTANCE NOTES: N	NA				
STARCH			ID: 900	5-25-8	
%: 0.1000 - 0.3000	GS: UNK	RC: None	NANO: NO	ROLE: Binder	
HAZARDS:		AGE	NCY(IES) WITH WARNING	GS:	
None Found		No w	arnings found on HPD Pric	ority lists	
SUBSTANCE NOTES: 1	NA				
SODIUM PYRITHIONE			ID: 381	1-73-2	
%: 0.0100 - 0.0700	GS: UNK	RC: None	NANO: NO	ROLE: Biocide	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
MULTIPLE	German Fl	EA - Substances Hazardous to	Waters Class 2 - Haza	ard to Waters	
DEVELOPMENTAL	MAK		Pregnancy Ris	sk Group B	

CALCIUM	SALT (OF POLY	/NAPHTH	ALENESU	LFONIC AC	ID

ID: 37293-74-6

%: 0.0100 - 0.2000 GS: UNK RC: None NANO: NO ROLE: Dispersant

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: NA

PERICLASE (MGO) ID: 1317-74-4

%: 0.0000 - 0.1000 GS: UNK RC: None NANO: NO ROLE: Catalyst

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: NA



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:

http://productguide.ulenvironment.com/SearchResults.aspx?BrandID=1808

CERTIFICATION AND COMPLIANCE NOTES:

GREENGUARD Certification - Sheetrock® Brand Mold Tough® VHI Firecode® X Panels

ISSUE EXPIRY CERTIFIER OR
DATE: DATE: LAB: UL
2016-06- 0000-00-00 Environment

28



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: United States Gypsum Cmpany

ADDRESS: 550 West Adams St

Chicago, IL 60661 **United States**

WEBSITE: usg.com

CONTACT NAME: Stacy Simpson

TITLE: Sustainability Analyst II, Authorized GreenScreen Practitioner

PHONE: 1-800-USG4YOU

EMAIL: sustainability@usg.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **GLO** Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity **MUL** Multiple hazards **NEU** Neurotoxicity **END** Endocrine activity EYE Eye irritation/corrosivity **OZO** Ozone depletion

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic **PHY** Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the nal product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent veri er are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.