USG

SAFETY DATA SHEET

1. Identification

Product identifier DONN® CE™ Acoustical Suspension System

Other means of identification

SDS number 42000001101

Additional System DONN® CE™ Wall Moldings

Components:

Synonyms Ceiling Suspension System or Ceiling Tile Grid, with closed-cell foam gaskets for controlled

environment rooms

Recommended use Interior use.

Recommended restrictionsUse in accordance with manufacturer's recommendations.

Manufacturer / Importer / Supplier / Distributor information

Company name USG Interiors, LLC
Address 550 West Adams Street

Chicago, Illinois 60661-3637 1-800-874-4968

Telephone 1-800-874-4968
Website www.usg.com
Emergency phone number 1-800-507-8899

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement None.

Precautionary statement

PreventionObserve good industrial hygiene practices.ResponseGet medical attention/advice if you feel unwell.

Storage Store as indicated in Section 7.

Disposal Dispose of in accordance with local, state, and federal regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Supplemental information

Steel products as sold do not present an inhalation, ingestion, or skin hazard. However, individual customer processes, (such as welding, sawing, brazing, grinding, abrasive blasting, and machining) may result in the formation of fumes, dust (combustible or otherwise), and/or particulate that may present a variety of health hazards. Molten steel is also hazardous.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Steel	65997-19-5	> 90
Polyvinyl chloride	9002-86-2	< 5

Composition comments

This product is composed of hot-dipped galvanized steel. The following list identifies those elements which may exist in steel or which may comprise compounds present in steel or alloy steels. Aluminum, beryllium, boron, calcium, carbon, cerium, chromium, cobalt, copper, hafnium, iron, lanthanum, lead, magnesium, manganese, molybdenum, nickel, niobium, nitrogen, oxygen, phosphorus, selenium, silicon, sulfur, tantalum, tin, titanium, tungsten, vanadium, yttrium, zinc, zirconium.

4. First-aid measures

Inhalation Due to the physical nature of this product, inhalation is unlikely. There are no known health effects

due to inhalation.

Skin contact Edges and notches (where present) may be sharp and can cut skin. Cuts or abrasions should be

treated promptly with thorough cleansing of the affected area. Seek medical attention for severe

cuts or abrasions.

Eye contact Sharp edges and notches (where present) may cause cuts and irritation. If eye is cut or otherwise

damaged, seek medical attention.

Ingestion Due to the physical nature of this product, ingestion is unlikely. There are no known health effects

due to ingestion.

Most important

symptoms/effects, acute and

delayed

Under normal conditions of intended use, this material does not pose a risk to health.

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Not applicable.

Specific hazards arising from the chemical

and precautions for firefighters

Special protective equipment

Thermal decomposition of foam gaskets may produce CO, CO2, and HCI.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire-fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods Cool material exposed to heat with water spray and remove it if no risk is involved.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up

No specific clean-up procedure noted. For waste disposal, see Section 13 of the SDS.

Environmental precautions None.

7. Handling and storage

Precautions for safe handling Edges and notches (where present) may be sharp and can cut skin. Unload from package with

caution and handle carefully. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Falling pieces can pose an injury hazard. Do not store open boxes or individual pieces above

chest level. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Ventilation is not normally required.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety goggles.

Skin protection

Hand protection It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin

contact use suitable protective gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Not necessary under normal conditions.

Thermal hazards

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practices.

9. Physical and chemical properties

Appearance

Physical state Solid. Form Metal tees.

DONN® CE™ Acoustical Suspension System 917508 Version #: 01 Revision date: - Issue date: 27-December-2013 ColorFlat white.OdorLow to no odor.Odor thresholdNot applicable.pHNot applicable.

Melting point/freezing point 2400 - 2800 °F (1315.56 - 1537.78 °C) (base metal (steel))

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

(%)

Flammability limit - upper

Not applicable.

(%)

Explosive limit - lower (%) Not applicable.

Explosive limit - upper (%) Not applicable.

Vapor pressure Not applicable.

Vapor density Not applicable.

Relative density 7 - 8 (H2O = 1)

Solubility(ies) Not soluble in water.

Partition coefficient

Not applicable.

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Not applicable.

Not applicable.

Not applicable.

Other information

Viscosity

Bulk density 480 - 500 lb/ft³

VOC (Weight %) 0 %

10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

Conditions to avoid

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

IngestionNot likely, due to the form of the product.InhalationNot likely, due to the form of the product.

Skin contact Edges and notches (where present) may be sharp and can cut skin. Under normal conditions of

intended use, this product does not pose a skin hazard.

Eye contact Contact with sharp edges and notches (where present) may cut the eye and cause eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Sharp edges and notches (where present) may cause cuts and irritation.

Information on toxicological effects

Acute toxicity None.

Skin corrosion/irritation Edges and notches (where present) may be sharp and can cut skin.

DONN® CE™ Acoustical Suspension System

SDS US

Serious eye damage/eye

irritation

Contact with sharp edges and notches (where present) may cut the eye and cause eye damage.

Respiratory sensitization

No data available.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

Not expected to be mutagenic.

Carcinogenicity

Not expected.

Reproductive toxicity

Not expected to be a reproductive hazard.

Specific target organ toxicity single exposure

No data available, but none expected.

Specific target organ toxicity repeated exposure

No data available, but none expected.

Aspiration hazard

Due to the physical form of the product it is not an aspiration hazard.

Further information

No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity

Not expected to be harmful to aquatic organisms.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Bioaccumulation is not expected.

Mobility in soil

Not available

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

The metals contained in this product are recyclable. Dispose in accordance with applicable

federal, state, and local regulations.

Local disposal regulations

Dispose of in accordance with local regulations.

Hazardous waste code

Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Dispose of in accordance with local regulations.

14. Transport information

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not applicable.

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug Not regulated.

Administration (FDA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Polyvinyl chloride (CAS 9002-86-2) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 27-December-2013


Revision date - Version # 01

Further information NFPA Ratings:

Health: 0 Flammability: 0 Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

NFPA Ratings



List of abbreviations NFPA: National Fire Protection Association.

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

DONN® CE™ Acoustical Suspension System

SDS US