



# SAFETY DATA SHEET

## 1. Identification

<b>Product identifier</b>	<b>USG Durock™ Brand RH-100™ Moisture Vapor Reducer - Part B</b>
<b>Other means of identification</b>	
<b>SDS number</b>	14000020005
<b>Synonyms</b>	Flooring Resin
<b>Recommended use</b>	Interior use.
<b>Recommended restrictions</b>	Use in accordance with manufacturer's recommendations.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Company name</b>	United States Gypsum Company
<b>Address</b>	550 West Adams Street Chicago, Illinois 60661-3637
<b>Telephone</b>	1-800-874-4968
<b>Website</b>	www.usg.com
<b>Emergency phone number</b>	1-800-424-9300 (CHEMTREC)

## 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
<b>OSHA defined hazards</b>	Not classified.	
<b>Label elements</b>		



<b>Signal word</b>	Danger
<b>Hazard statement</b>	Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life with long lasting effects.
<b>Precautionary statement</b>	
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

<b>Response</b>	If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do not induce vomiting. If inhaled: Remove person to fresh air and keep comfortable for breathing. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. Collect spillage.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of in accordance with local, state, and federal regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number	%
1,3 Benzenedimethanamine,n-(2-p henylethyl) Derivs.	404362-22-7	≥ 50
1,3-Cyclohexanedimethanamin e	2579-20-6	< 40
Benzyl alcohol	100-51-6	< 30
Phenol, polymer with formaldehyde, glycidyl ether	28064-14-4	< 15

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas.

### 4. First-aid measures

<b>Inhalation</b>	May cause severe irritation to the eyes, skin, nose, throat, and upper respiratory tract. Move injured person into fresh air and keep person calm under observation. Get medical attention if symptoms persist.
<b>Skin contact</b>	Rinse area with plenty of water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Do not rub eyes. Flush thoroughly with water. If burning, redness, itching, pain, or other symptoms develop or persist get medical attention.
<b>Ingestion</b>	Rinse mouth. Get medical attention if any discomfort occurs.
<b>Most important symptoms/effects, acute and delayed</b>	May cause serious chemical burns to the skin. May cause chemical eye burns. Permanent eye damage including blindness could result.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Use fire-extinguishing media appropriate for surrounding materials.
<b>Unsuitable extinguishing media</b>	Not applicable.
<b>Specific hazards arising from the chemical</b>	Not a fire hazard.
<b>Special protective equipment and precautions for firefighters</b>	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>Specific methods</b>	Cool material exposed to heat with water spray and remove it if no risk is involved.

### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	See Section 8 of the SDS for Personal Protective Equipment.
--	---

**Methods and materials for containment and cleaning up** Prevent entry into confined areas or water systems. Dilute with water and mop or wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Dispose of waste according to local regulations.

**Environmental precautions** Avoid discharge to drains, sewers, and other water systems.

## 7. Handling and storage

**Precautions for safe handling** Minimize exposure to mists. In case of insufficient ventilation, wear suitable respiratory equipment. Observe good industrial hygiene practices. Use proper lifting techniques.

**Conditions for safe storage, including any incompatibilities** Store in a cool, dry place. Store in a closed container away from incompatible materials, food, or drinking water. Protect from moisture. Keep away from heat. Do not use if material has spoiled, i.e., there is a moldy appearance or an unpleasant odor. Keep containers closed when not in use.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m <sup>3</sup>  10 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** No exposure standards allocated.

**Appropriate engineering controls** Provide sufficient ventilation for operations causing mist formation. Observe occupational exposure limits and minimize the risk of exposure.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear approved safety goggles.

#### Skin protection

**Hand protection** It is a good industrial hygiene practice to minimize skin contact. Wear nitrile rubber gloves.

**Other** Normal work clothing (long sleeved shirts and long pants) is recommended.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. If vapors or mists are generated, wear a NIOSH/MSHA approved organic vapor mist respirator. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.

**Thermal hazards** None.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

## 9. Physical and chemical properties

### Appearance

**Physical state** Liquid.

**Form** Not applicable.

**Color** Clear to Amber.

**Odor** Ammonia.

**Odor threshold** Not applicable.

**pH** > 7

**Melting point/freezing point** 32 °F (0 °C)

**Initial boiling point and boiling range** 500 °F (260 °C)

**Flash point** 250.0 °F (121.1 °C)

**Evaporation rate** Not applicable.

**Flammability (solid, gas)** Not applicable.

**Upper/lower flammability or explosive limits**

<b>Flammability limit - lower (%)</b>	Not applicable.
<b>Flammability limit - upper (%)</b>	Not applicable.
<b>Explosive limit - lower (%)</b>	Not applicable.
<b>Explosive limit - upper (%)</b>	Not applicable.

<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Relative density</b>	1 - 1.1 (H2O=1)
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	< 1 %
<b>Partition coefficient (n-octanol/water)</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	Not applicable.
<b>Viscosity</b>	Not applicable.
<b>Other information</b>	
<b>Bulk density</b>	62.3 - 68.5 lb/ft <sup>3</sup>
<b>VOC</b>	0 g/l

**10. Stability and reactivity**

<b>Reactivity</b>	The product is stable and non reactive under normal conditions of storage and transport.
<b>Chemical stability</b>	Stable at normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Contact with incompatible materials. Elevated temperatures.
<b>Incompatible materials</b>	Strong oxidizing agents. Acids.
<b>Hazardous decomposition products</b>	None known.

**11. Toxicological information****Information on likely routes of exposure**

<b>Inhalation</b>	Harmful if inhaled. May cause irritation to the respiratory system.
<b>Skin contact</b>	Harmful in contact with skin. Causes severe skin burns.
<b>Eye contact</b>	Causes severe eye damage.
<b>Ingestion</b>	Harmful if swallowed.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	May cause serious chemical burns to the skin. May cause chemical eye burns. Permanent eye damage including blindness could result.
---	--

**Information on toxicological effects**

<b>Acute toxicity</b>	Harmful if swallowed, in contact with skin or if inhaled.
-----------------------	---

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
1,3 Benzenedimethanamine,n-(2-phenylethyl) Derivs. (CAS 404362-22-7)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	500 - 2000 mg/kg
Benzyl alcohol (CAS 100-51-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	8.8 mg/l, 4 Hours

Components	Species	Test Results
Oral LD50	Rat	1230 - 3100 mg/kg
<b>Skin corrosion/irritation</b>	Causes severe skin burns.	
<b>Serious eye damage/eye irritation</b>	Causes severe eye damage.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not classified but possible due to skin sensitization effect.	
<b>Skin sensitization</b>	May cause an allergic skin reaction after a single exposure or with repeated or prolonged skin contact.	
<b>Germ cell mutagenicity</b>	Not expected to be mutagenic.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Not listed.		
<b>NTP Report on Carcinogens</b>		
Not listed.		
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>		
Not regulated.		
<b>Reproductive toxicity</b>	Suspected of damaging fertility or the unborn child.	
<b>Specific target organ toxicity - single exposure</b>	No data available, but none expected.	
<b>Specific target organ toxicity - repeated exposure</b>	No data available, but none expected.	
<b>Aspiration hazard</b>	Not classified.	
<b>Chronic effects</b>	No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.	

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Components	Species	Test Results	
1,3 Benzenedimethanamine,n-(2-phenylethyl) Derivs. (CAS 404362-22-7)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	LC50	Freshwater algae	0.12 mg/l, 72 hours
Crustacea	EC50	Daphnia magna	3.4 mg/l, 48 hours
Fish	LC50	Rainbow Trout	1.8 mg/l, 96 hours
<b>Persistence and degradability</b>	Not persistent.		
<b>Bioaccumulative potential</b>	Bioaccumulation is not expected.		
<b>Partition coefficient n-octanol / water (log Kow)</b>			
Benzyl alcohol (CAS 100-51-6)		1.1	
<b>Mobility in soil</b>	The product is not mobile in soil.		
<b>Other adverse effects</b>	None expected.		

## 13. Disposal considerations

<b>Disposal instructions</b>	Dispose waste and residues in accordance with applicable federal, state, and local regulations. Incineration is preferred. Avoid discharge into water courses or onto the ground.
<b>Local disposal regulations</b>	Dispose of in accordance with local regulations.
<b>Hazardous waste code</b>	Not regulated.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations.
<b>Contaminated packaging</b>	Since emptied containers retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s (1,3-CYCLOHEXANEDIMETHANAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241

### IATA

UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s. (1,3-CYCLOHEXANEDIMETHANAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	Yes
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

### IMDG

UN number	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S (1,3-CYCLOHEXANEDIMETHANAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not available.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

1,3 Benzenedimethanamine,n-(2-phenylethyl) Derivs. 1.0 % One-Time Export Notification only.  
(CAS 404362-22-7)

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
-------------------	--

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US. Massachusetts RTK - Substance List**

Benzyl alcohol (CAS 100-51-6)

**US. New Jersey Worker and Community Right-to-Know Act**

Not listed.

**US. Pennsylvania Worker and Community Right-to-Know Law**

Benzyl alcohol (CAS 100-51-6)

**US. Rhode Island RTK**

Not regulated.

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 30-November-2016

**Revision date** -

**Version #** 01

**Further information** NFPA Ratings:  
Health: 3  
Flammability: 1  
Physical hazard: 0

**NFPA ratings**



**Disclaimer**

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.