



1. Identification

Product identifier	USG Levelrock® Brand SAM Ultra Sound Attenuation Mats
Other means of identification	
SDS number	57000010022
Alternate Products	SAM-N25™, SAM-N12™, SAM-N40™, SAM-N75™ ULTRA Sound Attenuation Mats
Synonyms	Flooring.
Recommended use	Use in accordance with manufacturer's recommendations.
Recommended restrictions	
Manufacturer/Importer/Supplier/	Distributor information
Company name	United States Gypsum Company
Address	550 West Adams Street
	Chicago, Illinois 60661-3637
Telephone	1-800-874-4968
Website	www.usg.com
Emergency phone number	1-800-507-8899
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	None.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Get medical attention/advice if you feel unwell.
Storage	Store as indicated in Section 7.
Disposal	Dispose of in accordance with local, state, and federal regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%	
Carbon black	1333-86-4	< 5	
Titanium dioxide	13463-67-7	< 0.5	

Composition comments

All concentrations are in percent by weight.

4. First-aid measures

Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. Move injured person into fresh air and keep person calm under observation. Get medical attention if symptoms persist.
Skin contact	Contact with dust: Rinse area with plenty of water. Get medical attention if irritation develops or persists.

Eye contact	Dust in the eyes: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical assistance.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Under normal conditions of intended use, this material does not pose a risk to health. Dust may irritate throat and respiratory system and cause coughing.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved.	
5. Fire-fighting measures		
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media	Not applicable.	
Specific hazards arising from the chemical	Not a fire hazard.	
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.	
Specific methods	Cool material exposed to heat with water spray and remove it if no risk is involved.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release measures		

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	See Section 8 of the SDS for Personal Protective Equipment.
Methods and materials for containment and cleaning up	No specific clean-up procedure noted. For waste disposal, see Section 13 of the SDS.
Environmental precautions	Avoid discharge to drains, sewers, and other water systems.

7. Handling and storage

Precautions for safe handling	Use work methods which minimize dust production. Avoid inhalation of dust and contact with skin and eyes. Wear appropriate personal protective equipment. Wash hands after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value	Form
3.5 mg/m3	
15 mg/m3	Total dust.
Value	Form
5 mg/m3	Respirable fraction.
15 mg/m3	Total dust.
50 mppcf	Total dust.
	3.5 mg/m3 15 mg/m3 Value 5 mg/m3 15 mg/m3

US. ACGIH Threshold Lim Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Appropriate engineering controls	Provide sufficient ventilation for operations causing dust formation. Observe occupational exposure limits and minimize the risk of exposure.		
ndividual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Wear approved safety goggles.		
Skin protection Hand protection	It is a good industrial hygiene pract contact use suitable protective glov		r prolonged or repeated skin
Skin protection			
Other	Normal work clothing (long sleeved	shirts and long pants) is recom	mended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.		
Thermal hazards	None.		
General hygiene considerations	Always observe good personal hyg and before eating, drinking, and/or equipment separately from regular	smoking. Routinely wash work o	clothing and protective

9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Mat.	
Color	Gray/white.	
Odor	Low to no odor.	
Odor threshold	Not applicable.	
рН	Not applicable.	
Melting point/freezing point	Not applicable.	
Initial boiling point and boiling range	Not applicable.	
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not applicable.	
Flammability limit - lower (%) temperature	Not applicable.	
Flammability limit - upper (%)	Not applicable.	
Flammability limit - upper (%) temperature	Not applicable.	

USG Levelrock® Brand SAM Ultra Sound Attenuation Mats

Explosive limit - lower (%)	Not applicable.
Explosive limit - lower (%) temperature	Not applicable.
Explosive limit - upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	1.1 - 1.5
Solubility(ies)	
Solubility (water)	Non-soluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not applicable.
Viscosity temperature	Not applicable.
Other information	
Explosive limit	Not applicable.
VOC	0 g/l
10 Stability and reactivity	,

10. Stability and reactivity

Reactivity	The product is stable and non reactive under normal conditions of storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	At temperatures above 350°C/662°F, heavy fuming, carbon dioxide and carbon monoxide will occur. May also include ammonium hydroxide, caprolactam, hydrogen cyanide, and nitriles.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Airborne dust may irritate throat and upper respiratory system causing coughing.
Skin contact	Under normal conditions of intended use, this product does not pose a skin hazard.
Eye contact	Direct contact with airborne particulates may cause temporary irritation.
Ingestion	Ingestion may cause irritation and stomach discomfort.
Symptoms related to the physical, chemical and toxicological characteristics	Dust may irritate eyes and mucous membranes of the nose, throat and upper respiratory system causing sneezing and/or coughing.

Information on toxicological effects

Acute toxicity

Not expected to be a hazard under normal conditions of intended use.

Components	Species	Test Results	
Carbon black (CAS 1333-8	36-4)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 3000 mg/kg	
Oral			
LD50	Rat	> 8000 mg/kg	
Titanium dioxide (CAS 134	63-67-7)		
Acute			
Inhalation			
LC50	Rat	3.43 mg/l, 4 Hours	

	Species		Test Results		
Oral					
LD50	Rat		> 5000 mg/kg		
kin corrosion/irritation	Not a skin irri	itant.			
Serious eye damage/eye rritation	Direct contact with eyes may cause temporary irritation.				
Respiratory or skin sensitizatio	n				
Respiratory sensitization	No data available, but none expected.				
Skin sensitization	This product is not expected to cause skin sensitization.				
erm cell mutagenicity	No data available, but none expected.				
arcinogenicity	Not classified. This product contains small amounts of encapsulated carbon black and titanium dioxide. See Section 16 for further information.				
IARC Monographs. Overall	Evaluation of (Carcinogenicity			
Carbon black (CAS 1333 Titanium dioxide (CAS 13 NTP Report on Carcinogens Not listed. OSHA Specifically Regulate	3463-67-7) s	2B	Possibly carcinogenic to humans. Possibly carcinogenic to humans. 053)		
Not regulated.					
Reproductive toxicity	Not expected	I to be a reproductive I	nazard.		
pecific target organ toxicity - ingle exposure	No data available, but none expected.				
pecific target organ toxicity - epeated exposure	No data available, but none expected.				
spiration hazard	Due to the physical form of the product it is not an aspiration hazard.				
Chronic effects	No other spe	cific acute or chronic h	ealth impact noted.		
12 Ecological information	n				
•	The product of	ossibility that large or	assified as environmentally hazardous. However, this does n frequent releases can have a harmful or damaging effect on		
•	The product of exclude the p	ossibility that large or			
Components	The product of exclude the p the environm	oossibility that large or ent.	frequent releases can have a harmful or damaging effect on		
Components Carbon black (CAS 1333-86-4	The product of exclude the p the environm	oossibility that large or ent.	frequent releases can have a harmful or damaging effect on		
Components	The product of exclude the p the environm	oossibility that large or ent.	frequent releases can have a harmful or damaging effect on		
Components Carbon black (CAS 1333-86-4 Aquatic Acute	The product of exclude the p the environm	oossibility that large or ent.	frequent releases can have a harmful or damaging effect on		
Ecotoxicity Components Carbon black (CAS 1333-86-4 Aquatic Acute	The product of exclude the p the environm 4) LC50	oossibility that large or ent. Species	frequent releases can have a harmful or damaging effect on Test Results		
Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute	The product of exclude the p the environm 4) LC50 6-67-7)	oossibility that large or ent. Species Leuciscus idus	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours		
Cotoxicity Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic	The product of exclude the p the environm 4) LC50	oossibility that large or ent. Species	frequent releases can have a harmful or damaging effect on Test Results		
Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute Crustacea	The product of exclude the p the environm 4) LC50 6-67-7)	oossibility that large or ent. Species Leuciscus idus	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours		
Ecotoxicity Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil	The product of exclude the p the environm 4) LC50 6-67-7) EC50 LL50 No data is av	oossibility that large or ent. Species Leuciscus idus Daphnia magna Oryzias latipes vailable on the degrada tion is not expected. lable.	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours > 100 mg/l, 48 Hours > 100 mg/l, 96 Hours		
Ecotoxicity Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects	The product of exclude the p the environm 4) LC50 G-67-7) EC50 LL50 No data is av Bioaccumula No data avail None expected	oossibility that large or ent. Species Leuciscus idus Daphnia magna Oryzias latipes vailable on the degrada tion is not expected. lable.	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours > 100 mg/l, 48 Hours > 100 mg/l, 96 Hours		
Ecotoxicity Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Dther adverse effects 13. Disposal consideration	The product of exclude the p the environm 4) LC50 -67-7) EC50 LL50 No data is av Bioaccumula No data avail None expecte	oossibility that large or ent. Species Leuciscus idus Daphnia magna Oryzias latipes vailable on the degrada tion is not expected. lable. ed.	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours > 100 mg/l, 48 Hours > 100 mg/l, 96 Hours ability of this product.		
Ecotoxicity Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Dther adverse effects 13. Disposal consideration Disposal instructions	The product of exclude the p the environm 4) LC50 -67-7) EC50 LL50 No data is av Bioaccumula No data avail None expecte ns Dispose in ac	bossibility that large or ent. Species Leuciscus idus Daphnia magna Oryzias latipes railable on the degrada tion is not expected. lable. ed.	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours > 100 mg/l, 48 Hours > 100 mg/l, 96 Hours ability of this product.		
Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions Local disposal regulations	The product of exclude the p the environm 4) LC50 G-67-7) EC50 LL50 No data is av Bioaccumula No data avail None expecte ns Dispose in ac Dispose of in	Dessibility that large or ent. Species Leuciscus idus Daphnia magna Oryzias latipes railable on the degrada tion is not expected. lable. ed. ccordance with applica accordance with loca	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours > 100 mg/l, 48 Hours > 100 mg/l, 96 Hours ability of this product.		
Ecotoxicity Components Carbon black (CAS 1333-86-4 Aquatic Acute Fish Titanium dioxide (CAS 13463 Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Mobility in soil Dther adverse effects 13. Disposal consideration Disposal instructions	The product of exclude the p the environm 4) LC50 -67-7) EC50 LL50 No data is av Bioaccumular No data avail None expecte ns Dispose in ac Dispose of in Not regulated	Dessibility that large or ent. Species Leuciscus idus Daphnia magna Oryzias latipes railable on the degrada tion is not expected. lable. ed. ccordance with applica accordance with loca	frequent releases can have a harmful or damaging effect on Test Results >= 1000 mg/l, 96 Hours > 100 mg/l, 48 Hours > 100 mg/l, 96 Hours ability of this product. Able federal, state, and local regulations. Recycle responsibly I regulations.		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components of this product are in compliance with the listing Requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

16. Other information, including date of preparation or last revision

Issue date	12-November-2018		
Revision date	11-November-2019		
Version #	02		
Further information	Carbon black: This product may contain small amounts of carbon black. The International Agency for Research on Cancer (IARC) has determined that carbon black is possibly carcinogenic to humans (Group 2B) based on inadequate evidence in humans and sufficient evidence in experimental animals. However, exposure to carbon black does not occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint (1). The American Conference of Governmental Industrial Hygienists (ACGIH) has designated this chemical as not classifiable as a human carcinogen (A4). The US National Toxicology Program (NTP) has not listed this chemical in its report on carcinogens.		
	Titanium dioxide: Raw materials and/or coatings in this product contain small amounts of titanium dioxide. The International Agency for Research on Cancer (IARC) has determined that titanium dioxide is possibly carcinogenic to humans (Group 2B) based on inadequate evidence in humans and sufficient evidence in experimental animals. This conclusion relates to long-term inhalation exposure to high concentrations of pigmentary (powdered) or ultrafine titanium dioxide. However, no significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints. The available human studies do not suggest an association between occupational exposure to titanium dioxide and risk for cancer (1). The American Conference of Governmental Industrial Hygienists (ACGIH) has designated this chemical as not classifiable as a human carcinogen (A4). The US National Toxicology Program (NTP) has not listed this chemical in its report on carcinogens.		
	NFPA Ratings:		
	Health: 1 Flammability: 1		
	Physical hazard: 0		
	NFPA Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe		
NFPA ratings			
References	 International Agency for Research on Cancer (IARC). Volume 93: Carbon Black, Titanium Dioxide, and Talc; (5. Summary of data reported). IARC, 2010. Available at: http://monographs.iarc.fr/ENG/Monographs/vol93/mono93.pdf 		
Disclaimer	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard		

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.