# **SAFETY DATA SHEET**



### 1. Identification

Product identifier USG Levelrock™ Brand SAM-CSD™ Sound Attenuation Mat

Other means of identification

**SDS number** 57000050005

Synonyms Mat
Recommended use Flooring.

**Recommended restrictions**Use in accordance with manufacturer's recommendations.

Manufacturer/Importer/Supplier/Distributor information

Company name United States Gypsum Company

Address 550 West Adams Street

Chicago, Illinois 60661-3637

Telephone 1-800-874-4968
Website www.usg.com
Emergency phone number 1-800-507-8899

### 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbolNone.Signal wordNone.Hazard statementNone.

**Precautionary statement** 

PreventionObserve good industrial hygiene practices.ResponseGet medical attention/advice if you feel unwell.

**Storage** Store as indicated in Section 7.

**Disposal** Dispose of in accordance with local, state, and federal regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Polycaprolactam (Nylon-6)	25038-54-4	> 85
Caprolactam	105-60-2	< 10

### 4. First-aid measures

**Inhalation** Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. Move

injured person into fresh air and keep person calm under observation. Get medical attention if

symptoms persist.

**Skin contact**Contact with dust: Rinse area with plenty of water. Get medical attention if irritation develops or

persists.

Eye contact Dust in the eyes: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical

assistance.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

USG Levelrock™ Brand SAM-CSD™ Sound Attenuation Mat

928841 Version #: 01 Revision date: - Issue date: 23-July-2015

Most important symptoms/effects, acute and delayed

Under normal conditions of intended use, this material does not pose a risk to health. Dust may irritate throat and respiratory system and cause coughing.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Not applicable.

Specific hazards arising from

the chemical

Not a fire hazard.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

**Specific methods**Cool material exposed to heat with water spray and remove it if no risk is involved.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up

No specific clean-up procedure noted. For waste disposal, see Section 13 of the SDS.

**Environmental precautions** 

Avoid discharge to drains, sewers, and other water systems.

### 7. Handling and storage

Precautions for safe handling

Use work methods which minimize dust production. Avoid inhalation of dust and contact with skin and eyes. Wear appropriate personal protective equipment. Wash hands after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities.

### 8. Exposure controls/personal protection

Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Caprolactam (CAS 105-60-2)	TWA	5 mg/m3	Inhalable fraction and vapor.

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form	
Caprolactam (CAS 105-60-2)	STEL	3 mg/m3	Dust.	
		3 mg/m3	Vapor.	
		0.66 ppm	Vapor.	
	TWA	1 mg/m3	Vapor.	
		1 mg/m3	Dust.	
		0.22 ppm	Vapor.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide sufficient ventilation for operations causing dust formation. Observe occupational exposure limits and minimize the risk of exposure.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear approved safety goggles.

Skin protection

It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin Hand protection

contact use suitable protective gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator

use.

Thermal hazards None.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment separately from regular wash. Observe any medical surveillance requirements.

# 9. Physical and chemical properties

**Appearance** 

**Physical state** Solid. Mat. **Form** 

Color Gray/white. Odor Low to no odor. **Odor threshold** Not applicable. Not applicable. pН Melting point/freezing point Not applicable.

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable. Not applicable. **Evaporation rate** Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not applicable.

Flammability limit - lower

Not applicable.

(%) temperature Flammability limit - upper

(%)

Not applicable.

Flammability limit - upper

(%) temperature

Not applicable.

Not applicable. Explosive limit - lower (%)

Not applicable.

Explosive limit - lower (%) temperature

Explosive limit - upper (%) Explosive limit - upper (%) Not applicable.

temperature

Not applicable.

Vapor pressure Not applicable. Vapor density Not applicable.

Relative density 1.1 - 1.5

Solubility(ies)

Non-Soluble. Solubility (water) Not applicable. Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not applicable. Not applicable. Viscosity temperature

Other information

**Explosive limit** Not applicable.

VOC (Weight %) 0 q/l

# 10. Stability and reactivity

The product is stable and non reactive under normal conditions of storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

At temperatures above 350°C/662°F, heavy fuming, carbon dioxide and carbon monoxide will Hazardous decomposition occur. May also include ammonium hydroxide, caprolactam, hydrogen cyanide, and nitriles. products

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Airborne dust may irritate throat and upper respiratory system causing coughing. Skin contact Under normal conditions of intended use, this product does not pose a skin hazard.

Eye contact Direct contact with airborne particulates may cause temporary irritation.

Ingestion Ingestion may cause irritation and stomach discomfort.

Symptoms related to the physical, chemical and toxicological characteristics Dust may irritate eyes and mucous membranes of the nose, throat and upper respiratory system

causing sneezing and/or coughing.

### Information on toxicological effects

Not expected to be a hazard under normal conditions of intended use. **Acute toxicity** 

**Test Results** Components Species

Polycaprolactam (Nylon-6) (CAS 25038-54-4)

Acute Oral

LD50 Rat 3200 mg/kg

Not a skin irritant. Skin corrosion/irritation

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization No data available, but none expected.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available, but none expected.

This material is not classified as a carcinogen by IARC, ACGIH, NTP or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Caprolactam (CAS 105-60-2) 4 Probably not carcinogenic to humans.

Polycaprolactam (Nylon-6) (CAS 25038-54-4) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not expected to be a reproductive hazard. Specific target organ toxicity -No data available, but none expected.

Specific target organ toxicity -

repeated exposure

single exposure

No data available, but none expected.

Aspiration hazard Due to the physical form of the product it is not an aspiration hazard.

**Chronic effects** No other specific acute or chronic health impact noted.

USG Levelrock™ Brand SAM-CSD™ Sound Attenuation Mat

### 12. Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent releases can have a harmful or damaging effect on

the environment.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** Bioaccumulation is not expected.

Mobility in soilNo data available.Other adverse effectsNone expected.

### 13. Disposal considerations

**Disposal instructions**Dispose in accordance with applicable federal, state, and local regulations. Recycle responsibly.

**Local disposal regulations** Dispose of in accordance with local regulations.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

**Contaminated packaging** Dispose of in accordance with local regulations.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US** federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Caprolactam (CAS 105-60-2)

#### US. New Jersey Worker and Community Right-to-Know Act

Caprolactam (CAS 105-60-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Caprolactam (CAS 105-60-2)

### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

Not Listed.

### **International Inventories**

On inventory (yes/no)\* Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

23-July-2015 Issue date

**Revision date** Version # 01

**Further information** 

Carbon black: This product may contain small amounts of carbon black. The International Agency for Research on Cancer (IARC) has determined that carbon black is possibly carcinogenic to humans (Group 2B) based on inadequate evidence in humans and sufficient evidence in experimental animals. However, exposure to carbon black does not occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint (1). The American Conference of Governmental Industrial Hygienists (ACGIH) has designated this chemical as not classifiable as a human carcinogen (A4). The US National Toxicology Program (NTP) has not listed this chemical in its report on carcinogens.

Caprolactam: May cause slight irritation to the skin and eyes. After repeated exposure the most significant effect is local irritation. Animal studies have shown damage to the upper respiratory tract after repeated inhalation. However, in the solid state this product is not hazardous and no hazard is expected under intended use and appropriate handling.

NFPA Ratings: Health: 1 Flammability: 1 Physical hazard: 0

NFPA Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

NFPA ratings



1.) International Agency for Research on Cancer (IARC). Volume 93: Carbon Black, Titanium References

Dioxide, and Talc; (5. Summary of data reported). IARC, 2010. Available at:

<a href="http://monographs.iarc.fr/ENG/Monographs/vol93/mono93.pdf">http://monographs.iarc.fr/ENG/Monographs/vol93/mono93.pdf</a>

**Disclaimer** This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

USG Levelrock™ Brand SAM-CSD™ Sound Attenuation Mat

928841 Version #: 01 Revision date: - Issue date: 23-July-2015