# JSG 🗾

# SAFETY DATA SHEET

## 1. Identification

Product identifier Premier Hi-Lite™ Kapok Acoustical Ceiling Panels

Other means of identification

**SDS number** 41808420001

Additional Products Premier Hi-Lite™ Twill, Premier Nubby™, Chambray™, Tabaret™, Tabaret™ Perforated

Synonyms Fiberglass Ceiling Panels/Tiles

Recommended use Interior use.

**Recommended restrictions**Use in accordance with manufacturer's recommendations.

Manufacturer/Importer/Supplier/Distributor information

Company name USG Interiors, LLC
Address 550 West Adams Street

Chicago, Illinois 60661-3637

Telephone 1-800-874-4968 Website www.usg.com Emergency phone number 1-800-507-8899

# 2. Hazard(s) identification

Physical hazards Not classified.

Health Hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbolNone.Signal wordNone.Hazard statementNone.

**Precautionary statement** 

PreventionObserve good industrial hygiene practices.ResponseGet medical attention/advice if you feel unwell.

**Storage** Store as indicated in Section 7.

**Disposal** Dispose of in accordance with local, state, and federal regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Continuous filament glass fiber	65997-17-3	> 65
Polyvinyl chloride	9002-86-2	< 10

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Product is composed of

continuous fibers that do not qualify as respirable.

4. First-aid measures

**Inhalation** Remove to fresh air. Leave the area of exposure and remain away until coughing and other

symptoms subside. Other measures are usually not necessary; however if conditions warrant,

contact physician.

**Skin contact** Direct, prolonged or repeated contact with the skin may cause irritation. Rinse area with plenty of

water. Get medical attention if irritation develops and persists.

**Eye contact** Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical assistance.

**Ingestion** This product is not intended to be ingested or eaten. If gastric disturbance occurs, call physician.

Premier Hi-Lite™ Kapok Acoustical Ceiling Panels

919582 Version #: 01 Revision date: - Issue date: 06-October-2014

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically.

Mechanical irritation of skin, eyes and respiratory system.

**General information** Ensure that medical personnel are aware of the material(s) involved.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Not applicable.

Specific hazards arising from

the chemical

Not a fire hazard.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods Cool material exposed to heat with water spray and remove it if no risk is involved.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up No specific clean-up procedure noted. For waste disposal, see Section 13 of the SDS.

## 7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Wear appropriate personal protective equipment. Wash hands

after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in a cool, dry, well-ventilated place. Keep away from incompatible materials, open flames and high temperatures. Keep away from moisture. Protect product from physical damage.

## 8. Exposure controls/personal protection

## Occupational exposure limits

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Туре	Value	
Polyvinyl chloride (CAS 9002-86-2)	STEL	5 ppm	_
,	TWA	1 ppm	

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Polyvinyl chloride (CAS 9002-86-2)	PEL	5 mg/m3	Respirable fraction.
3332 33 2,		15 mg/m3	Total dust.

## **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Continuous filament glass fiber (CAS 65997-17-3)	TWA	1 fibers/cm3	Respirable fibers (length > 5 µm & aspect ratio ≥ 3:1)
		5 mg/m3	Inhalable fraction.
Polyvinyl chloride (CAS 9002-86-2)	TWA	1 mg/m3	Respirable fraction.

Components	Туре	Value	Form
Continuous filament glass fiber (CAS 65997-17-3)	TWA	3 fibers/cm3	Respirable fibers (≤ 3.5 µm in diameter & ≥ 10 µm in length)
		5 mg/m3	Fiber, total

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide sufficient ventilation for operations causing dust formation. Observe occupational

exposure limits and minimize the risk of exposure.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear approved safety goggles.

Skin protection

Hand protection It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin

contact use suitable protective gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved air supplied air respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2)

for all respirator use.

Thermal hazards None.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Panel.

**Color** White face with amber core

Odor Low to no odor.

Odor threshold Not applicable.

pH Not applicable.

Melting point/freezing point 1470 °F (798.89 °C)

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

Not applicable.

(%)

Flammability limit - upper

per

(%)

Explosive limit - lower (%) Not applicable.

Explosive limit - upper (%) Not applicable.

Vapor pressure Not applicable.

Vapor density Not applicable.

**Relative density** 0.05 - 0.06 (H2O=1 Approximately)

Solubility(ies)

Solubility (water) Not soluble.

Partition coefficient (n-octanol/water)

Not applicable.

**Auto-ignition temperature** Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not applicable.

Other information

3 - 4 lb/ft<sup>3</sup> **Bulk density** VOC (Weight %) N/A (solid)

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

**Hazardous decomposition** 

products

Carbon dioxide.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation Not available.

Skin contact Direct, prolonged or repeated contact with the skin may cause irritation.

**Eve contact** Direct contact may cause mechanical irritation of the eyes.

Under normal conditions of intended use, this material does not pose a risk to health. This product Ingestion

is not intended nor expected to be ingested or eaten.

Symptoms related to the physical, chemical and toxicological characteristics Mechanical irritation via inhalation or skin contact may cause coughing or difficulty breathing

and/or skin redness and itching.

#### Information on toxicological effects

**Acute toxicity** Low hazard.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer. Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity Not expected to be mutagenic.

Carcinogenicity This material is not classified as a carcinogen by IARC, ACGIH, NTP or OSHA.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Continuous filament glass fiber (CAS 65997-17-3) 3 Not classifiable as to carcinogenicity to humans. Polyvinyl chloride (CAS 9002-86-2) 3 Not classifiable as to carcinogenicity to humans.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not expected to be a reproductive hazard. Specific target organ toxicity -No data available, but none expected. single exposure

Specific target organ toxicity -

repeated exposure

No data available, but none expected.

**Aspiration hazard** Due to the physical form of the product it is not an aspiration hazard.

**Further information** No other specific acute or chronic health impact noted.

Premier Hi-Lite™ Kapok Acoustical Ceiling Panels

# 12. Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent releases can have a harmful or damaging effect on

the environment.

Persistence and degradability No data available.

**Bioaccumulative potential Mobility in soil**Bioaccumulation is not expected.
The product is not mobile in soil.

Other adverse effects None expected.

# 13. Disposal considerations

**Disposal instructions**Dispose in accordance with applicable federal, state, and local regulations. Recycle responsibly.

**Local disposal regulations** Dispose of in accordance with local regulations.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

**Contaminated packaging** Dispose of in accordance with local regulations.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. This product is a solid. Therefore, bulk transport is governed by IMSBC code.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US federal regulations** This product is not hazardous according to OSHA 29CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Premier Hi-Lite™ Kapok Acoustical Ceiling Panels
919582 Version #: 01 Revision date: - Issue date: 06-October-2014

This product does not contain a chemical known to the State of California to cause cancer.

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

Polyvinyl chloride (CAS 9002-86-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

#### International Inventories

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date 06-October-2014

Revision date - Version # 01

**Further information** 

The International Agency for Research on Cancer (IARC) in June, 1987, categorized continuous filament glass fibers as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify continuous filament glass fiber as a possible, probable, or confirmed cancer causing material. The ACGIH has established a TLV (Threshold Limit Value or recommended exposure limit) for continuous filament glass fiber of 1 fiber per cubic centimeter of air for respirable fibers and 5 mg per cubic meter of air for inhalable glass fiber dust. These levels were established to prevent mechanical irritation of the upper airways. IARC, NTP (US National Toxicology Program) and OSHA (US Occupational Safety and Health Administration) do not list continuous filament glass fibers as a carcinogen. As manufactured, continuous filament glass fibers in this product are not respirable. Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which may be glass shards.

NFPA Ratings: Health: 1 Flammability: 0 Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

NFPA ratings



List of abbreviations NFPA: National Fire Protection Association.

References HSDB® - Hazardous Substances Data Bank

**Disclaimer** This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

Premier Hi-Lite™ Kapok Acoustical Ceiling Panels

SDS US

919582 Version #: 01 Revision date: - Issue date: 06-October-2014